

FIGURE 1

į




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6









FIG. 8A

















trad	

Terminal Input 1 -- Specify Transaction Name

	Share Trading Demonstration	TRADER.TO02
Share	Trading Manager: Company Selection	
	1. Casey_Import_Export	
	2. Glass_and_Luget_Plc	
	3. Headworth_Electrical	
	4. IBM	
Please	select a company $(1,2,3 \text{ or } 6)$ :	
PF3=Exit	PF12=Exit	
L	PF12=DXIC	

Terminal Output 1 -- Company Selection Screen

	Share Trading Demonstration	TRADER.T002
s	hare Trading Manager: Company Selection	
	1. Casey_Import_Export	
	2. Glass_and_Luget_Plc	
	3. Headworth_Electrical	
	4. IBM	
P1	ease select a company (1,2,3 or 4) : 1	
PF3=Exit		
	PF12=Exit	

Terminal Input 2 -- Select Company

	Share Trading Demonstration	TRADER.T003
	Share Trading Manager: Options	
	1. New Real-Time Quote	
	2. Buy Shares	
	3. Sell Shares	
	Please select an option (1,2 or 3):	
PF3≈Return	PF12=Exit	

Terminal Output 2 -- Option Selection Screen

FIGURE 15


	Share Trading Demonstration	TRADER.T003
	Share Trading Manager: Options	
		4
	1. New Real-Time Quote	
	2. Buy Shares	1.0
	3. Sell Shares	
		111
	Please select an option (1,2 or 3): 1	
PF3=Return		
	PF12=Exit	

# Terminal Input 3 -- Select Option

		Trading Demonstration ER.T004	
	Share Trading Ma	nager: Real-Time Quote	
User Name:	RUSS		
Company Name:	Casey_Import_Exq	port	
Share Values:		Commission Cost:	
NOW:	00079.00	for Selling:	007
1 week ago:	00059.00	for Buying:	010
6 days ago:	00063.00		
5 days ago:	00065.00		
4 days ago:	00070.00		
3 days ago:	00072.00		
2 days ago:	00078.00	Number of Shares Held:	5693
1 day ago:	00077.00	Value of Shares Held:	000449747.00

l l	
ł .	
Request Completed OK	
_	
PF3=Return	-
	PF12=Exit

Terminal Output 3 - Stock Quote Screen



Terminal Output 4 -- Session Termination Screen

</request>

```
<?xml version="1.0" encoding="ISO-8859-1" standalone="yes"?>
<reguest>
    <token>ca445fb5</token>
    <timestamp>20020113025852</timestamp>
    <status>
        <response>0</response>
        <desc>ok</desc>
    </status>
    <transaction tranid="TRAD" facility="}AAB" next_tranid="TRAD"</pre>
    next_tranid_src="normal";
         <status>
             <cics resp>0</cics resp>
             <cios_resp2> 0</cios_resp2>
<cios_desc>NORMAL</cios_desc>
<task_end>endtask</task_end>
             <abend code>
                              </abend dode>
         </status>
        <parameters>
             <tranid>TRAD</tranid>
             </parameters>
         <command src="TRADERPL">
             <map>T002
                               </map>
                 <data_indicator>map_and_data</data_indicator>
                 <fields count="6">
                      <field name="COMP1" index="0">
                         wance ien="b">COM2!</name>
<value maxlen="20" len="10">Casey_Inport_Export</value>
<attr byte="60" justify="l" disp="y" prot="y" num="n" int="n"
ndt="n")</pre>
                      </field>
                      <field name="COMP2" index="0">
                          <name len="5">COMP2</name>
                          <value maxlen="20" len="19">Glass and Luget Plc</value>
<attr byte="60" justify="1" disp="y" prot="y" num="n" int="n"</pre>
                          mdt="n"/>
                      </field>
                      <field name="COMP3" ir.dex="0">
                          <name len="5">COMP3</name>
                          <value maxlen="20" len="20">Headworth Electrical</value>
                          <attr byte="60" justify="1" gisp="y" prot="y" num="n" int="n"</pre>
                          mdt="n"/>
                      </fredd>
                      <field name="COMP4" index="0">
                          <name len="5">COMP4</name>
                          <value maxlen="20" len="3">IBM</value>
                          <attr byte="60" justify="1" disp="y" prot="y" num="n" int="n"</pre>
                          mdt="n"/>
                      </field>
                      <fired name="OPTION" index="0">
                          <name len="6">OPTION</name>
<value maxlen="1" len="0"></value>
                          <attr byte="50" justify="1" disp="v" prot="n" num="v" int="n"
                         mdt="n"/>
                      </field>
                      <fred name="MESS2" index="0">
                         <name len="5">MESS2</name>
                          <value maxlen="79" len="0"></value>
<attr byte="60" justify="1" disp="y" prot="y" num="n" int="n"</pre>
                         mdt="n"/>
                      </field>
                 </fields>
                 <cursor type="none"/>
            </send map>
        </command>
    </transaction>
```

XML Response 1 -- Company Selection Document

F 44 F

```
<?xml version="1.0" encoding="ISO-8859-1" standalone="yes"?>
 <reguest>
     <token>ca445fb5</token>
     <timestamp>20020113025955</timestamp>
     <status>
         <re>sponse>0</response>
         <desc>ok</desc>
     </status>
     <transaction transd="TRAD" facility="]AAB" next transd="TRAD"</pre>
    next_tranid_src="normal">
<status>
             <cics_resp>0</cics_resp>
<cics_resp2>0</cics_resp2>
             <cics_desc>NORMAL</cics_desc>
<task_end>endtask</task_end>
             <abend_code> </abend_code>
         </status>
         <parameters>
             <tranid>TRAD</tranid>
             <entry>TRAD</entry>
             <userid>DSI1
                               </userid>
         </parameters>
         <command src="TRADERFL">
             <send map erase="y" erase_unp="n" unlock_kb="y" alarm="n" reset_mdt="n" >
<mapset>TRADEMS </mapset>
                 <map>T003
                                </map>
                 <data_indicator>map_and_data</data_indicator>
                 <fields count="2">
                      <fre1d name="OPT2" index="0">
                          <name len="4">OPT2</name>
                          <value maxien="1" len="0"></value>
                          cattr byte="50" justify="1" disp="y" prot="n" nume"y" int="n"
mdt="n"/>
                      </field>
                      <field name="MESS3" index="0">
                          <name len="5">MESS3</name>
<value maxlen="79" len="0"></value>
                          <attr byte="60" justify="1" disp="v" prot="v" num="n" int="n"</pre>
                          mdt="n"/>
                     </fredd>
                 </fredds>
                 <cursor type="none"/>
             </send_map>
         </command>
    </transaction>
</request>
```

XML Response 2 -- Option Selection Document

. . . .

```
<?xml version="1.0" encoding="ISO-8859-1" standalone="ves"?>
<reguest>
    .
<token>ca445fb5</token>
   <timestamp>20020113030019</timestamp>
   <status>
       <response>0</response>
        <desc>ok</desc>
    <transaction tranid="TRAD" facility="}AAB" next tranid="TRAD"</pre>
   next tranid src="normal">
       <status>
           <cics_resp>0</cics_resp>
           <cics_resp2>0</cics_resp2>
<cics_desc>NORMAL</cics_desc>
           <task_end>endtask</task_end>
<abend_code> </abend_code</pre>
                            </aband code>
        </status>
        <parameters>
           <tranid>TRAD</tranid>
           <entry>TRAD</entry>
            <userid>DSI1
        </parameters>
        <command src="TRADERPL">
           <map>T004
                            </map>
                <data_indicator>map_and_data</data_indicator>
                <fields count="15">
                    <field name="USER41" index="0">
                        <name len="6">USER41</name>
                        <value maxlen="20" len="4">RUSS</value>
                        <attr byte="60" justify="1" disp="y" prot="y" num="n" int="n"</pre>
                        mdt="n"/>
                    </field>
                    <fredd name="COMP41" index="0">
                        <name len="6">COMP41</name>
                        <value maxlen="20" len="19">Casey Import Export</value>
<attr byte="60" justify="1" disp="y" prot="y" num="n" int="n"</pre>
                        mdt="n"/>
                    </fleld>
                    <field name="SHRNOW" index="0">
                        <name len="6">SHRNOW</name>
                        <value maxlen="8" len="8">00079.00</value>
                        <attr byte="60" justify="1" disp="y" prot="y" num="n" int="n"</pre>
                        mdt="n"/>
                    </field>
                    <field name="SELL" index="0">
                        <attr byte="f0" justify="1" disp="y" prot="y" num="y" int="n"</pre>
                        mdt="n"/>
                    </fle1d>
                    <field name="SHARE7" index="0">
                        <name len="6">SHARE7</name>
                        <value maxlen="8" len="8">00059.00</value>
<attr byte="60" justify="2" disp="y" prot="y" num="n" int="n"</pre>
                        mdt="n"/>
                    </field>
                    <field name="SHARE6" index="0">
                        <name len="6">SHARE6</name>
                        <value maxlen="8" len="8">00063.00</value>
                        <attr byte="60" justify="1" disp="y" prot="y" num="n" int="n"</pre>
                        mdt="n"/>
                    </field>
```

XML Response 3 -- Stock Quote Document

. . . .

```
<field name="BUY" index="0">
                         <name len="3">BUY</name>
<value maxlen="12" len="3">010</value>
                          <attr byte="f0" justify="l" disp="y" prot="y" num="y" int="n"</pre>
                         mdt="n"/>
                     </fred><field name="SHARE5" index="0">
                          <name len="6">SHARE5</name>
                          <value maxlen="8" len="8">00065.00</value>
                         <attr byte="f0" pustify="l" gisb="v" prot="v" num="v" int="n"</pre>
                         mdt="n"/>
                     </fredd>
                     <fredd name="SHARE4" index="0">
                          <name len="6">SHARE4</name>
                          <value maxlen="8" len="8">00070.00</value>
                          <attr byte="f0" justify="1" disp="y" prot="y" num="y" int="n"</pre>
                         mdt="n"/>
                      </field>
                      <field name="SHARE3" index="0">
                         <name len="6">SHARE3</name>
                          <value maxlen="8" len="8">00072.00</value>
                          <attr byte="f0" justify="l" disp="y" prot="y" num="y" int="n"</pre>
                         mdt="n"/>
                      </field>
                     <field name="SHARE2" index="0">
                         <name len="6">SHARE2</name>
                          <value maxlen="8" len="8">00078.00</value>
                         <attr byte="f0" jistify="l" disp="y" prot="y" num="y" int="n"</pre>
                         mdt="n"/>
                      </field>
                      <field name="HELD" index="0">
                          <name len="4">HELD</name>
                          <value maxlen="12" len="4">5693</value>
                          <attr byte="f0" justify="l" disp="y" prot="y" num="y" int="n"</pre>
                         mdt="n"/>
                     </field>
                      <fredd name="SHARE1" index="0">
                          <name len="6">SHARE1</name>
                          <value maxlen="8" len="8">00077.C0</value>
                         <attr byte="f0" justify="l" disp="y" prot="y" num="y" int="n"</pre>
                         mdt="n"/>
                      c/field>
                      <fredd name="VALUE" index="0">
                          <name len="5">VALUE</name>
                          <value maxlen="12" len="12">000449747.00</value>
                          <attr byte="f0" justify="r" disp="y" prot="y" num="y" int="n"</pre>
                          mdt="n"/>
                      </fredd>
                      <field name="MESS4" index="0">
                          <name len="5">MESS4</name>
                          <value maxlen="79" len="20">Request Completed OK</value>
                          <attr byte="60" justify="1" disp="y" prot="y" num="n" int="n"</pre>
                         mdt="n"/>
                      </freld>
                  </fredds>
                  <cursor type="none"/>
              </send map>
          </command>
     </transaction>
</request>
```

XML Response 3 -- Stock Quote Document

### FIGURE 21 (con't.)

. . . .

```
<?xml version="1.0" encoding="ISO-8859-1" standalone="yes"?>
  <request>
      <token></token>
      <timestamp>20020113030037</timestamp>
      <status>
          <response>0</response>
           <desc>ok</desc>
      </status>
      <transaction tranid="TRAD" facility="}AAB" next_tranid=" " next_tranid_src="</pre>
           <status>
               <cics_resp>0</cics_resp>
               <cics_resp2>0</cics_resp2>
<cics_desc>NORMAL</cics_desc>
               <task_end>endtask</task_end>
<abend_code> </abend_code>
           </status>
           <parameters>
               <transd>TRAD</transd>
               <entry>TRAD</entry>
<userid>DSI1 </userid>DSI1 
                                 </userid>
               <ald>PF12</ald>
           </parameters>
<command src="TRADERPL">
               <send erase="n">
                   <data len="20">Trader: Session Over</data>
           </command>
      </transaction>
</request>
```

XML Output 4 -- Transaction Termination Document